



Henderson®
Providing Playground Fun



Model No. B504120R1

Posts: Silver
Accents: Orange
Roto-Plastic: Blue
HDPE Plastic: Blue-White-Blue

All Painted Swing - Blue
MT247 - Orange-White-Orange
Roofs -Silver



MUNICIPALITY OF MIDDLESEX CENTRE DEERHAVEN PARK





Henderson®
Providing Playground Fun



Model No. B504120R1

Posts: Silver
 Accents: Orange
 Roto-Plastic: Blue
 HDPE Plastic: Blue-White-Blue

All Painted Swing - Blue
 MT247 - Orange-White-Orange
 Roofs - Silver



MUNICIPALITY OF MIDDLESEX CENTRE DEERHAVEN PARK





Henderson®
Providing Playground Fun



Model No. B504120R1

Posts: Silver
Accents: Orange
Roto-Plastic: Blue
HDPE Plastic: Blue-White-Blue



All Painted Swing - Blue
MT247 - Orange-White-Orange
Roofs -Silver



MUNICIPALITY OF MIDDLESEX CENTRE DEERHAVEN PARK



87'-5" [26.64M]



49'-9 1/2" [15.18M]




Annex H Recommended Minimum Number and Types of Ground-Level Play Components on Accessible Routs and Required Elevated Components

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND TYPES
11	10/6	0	10/3 8/3

This structure is age appropriate for 18 months to 5 years.

This structure is age appropriate for 5 to 12 years.



Model No. B504120R2

Municipality of Middlesex Centre
Deerhaven Park

Henderson Recreation Equipment Ltd.
PO Box 68, 11 Gilbertson Drive
Simcoe, ON, Canada, N3Y 4K8
T. 1.800.265.5462
F. 519.426.9380
www.hendersonplay.ca

Salesperson | P.W.
Drawn By | R.H.
Date Drawn | September 28, 2021
Revised By | R.H.
Revision Date | October 29, 2021

Product Line | Playsteel MAX
Standard Compliance | CAN/CSA-Z614
Best User Age | See Ntoe
Protective Surfacing Type | Wood Chips
Accessibility | Annex H
Number of Children | 52
Fall Height | 10'

Border Area |
Border Perimeter |
Installation Type | Mix

WARNING: All play equipment shall have a protective surfacing zone that consists of an obstacle free soft resilient surfacing, as specified for each type of equipment and at depths to meet the critical fall heights as specified by the CAN/CSA Z614, ASTM F1487 and the U.S. Consumer Product Safety Commission.